

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

**Defective images within this document are accurate representations of
the original documents submitted by the applicant.**

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04Q 7/22		A1	(11) International Publication Number: WO 99/53698
			(43) International Publication Date: 21 October 1999 (21.10.99)
(21) International Application Number: PCT/FI99/00207			(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 17 March 1999 (17.03.99)			
(30) Priority Data: 980700 27 March 1998 (27.03.98) FI			
(71) Applicant (for all designated States except US): SONERA OY [FI/FI]; Teollisuuskatu 15, FIN-00510 Helsinki (FI).			
(72) Inventor; and (75) Inventor/Applicant (for US only): SAMILA, Seppo [FI/FI]; Sonero Oy, P.O. Box 970, FIN-00051 Sonera (FI).			
(74) Agent: PAPULA REIN LAHTELA OY; Fredrikinkatu 61 A, P.O. Box 981, FIN-00101 Helsinki (FI).			


Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

In English translation (filed in Finnish).

(54) Title: PROCEDURE AND SYSTEM FOR SENDING A SHORT MESSAGE TO A SUBSCRIBER IN A MOBILE COMMUNICATION NETWORK



(57) Abstract

Procedure and system for sending short messages to a mobile subscriber on the basis of the location of the mobile station (MS). In the procedure, the location of the mobile station is monitored on the basis of the information in the visitor location register (VLR) and, when it is detected that the mobile station is moving to a foreign country, a short message containing information about the activities and services of the foreign operator is sent to the mobile station. The invention makes it possible to automate the transmission of information, thus improving the services provided for foreign mobile subscribers.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

PROCEDURE AND SYSTEM FOR SENDING A SHORT MESSAGE TO A
SUBSCRIBER IN A MOBILE COMMUNICATION NETWORK

The present invention relates to a procedure
as defined in the preamble of claim 1 and to system as
5 defined in the preamble of claim 9 for sending a short
message to a subscriber in a mobile communication net-
work on the basis of the location of the mobile sta-
tion.

At present, short messages can be sent in a
10 mobile communication network. A short message (SMS,
Short Message Service) is a message in text form,
which may have a length of e.g. 160 characters and
which can be sent by a mobile subscriber to another
mobile subscriber. In practice, to send a short mes-
15 sage, the message to be sent is typed on a mobile sta-
tion and sent to another mobile subscriber via a
short-message service centre connected to the mobile
communication network. The transmission of short mes-
sages is a standardised feature of the mobile communi-
20 cation network. Another possibility is that a short
message is generated in the mobile communication net-
work, e.g. on the basis of a telephone message re-
ceived by the mobile subscriber's answering service.
In this case, the message is generated automatically
25 on the basis of predetermined information and events.

In prior art, no method or system is known
that could be used to transmit predetermined short
messages to a mobile subscriber on the basis of loca-
tion. Such messages could be used to inform the mobile
30 subscriber about services and special arrangements
provided by the operator or applying in the location
area.

The object of the present invention is to im-
prove the state of the art in regard of transmission
35 of predetermined short messages. A specific object of
the present invention is to disclose a new procedure
an system which can be effectively utilised by an op-

erator to provide desired information for its customers.

As for the features characteristic of the invention, reference is made to the claims.

5 In the procedure of the invention for sending a short message to a mobile subscriber on the basis of the location of the mobile station, the location of the mobile station is monitored on the basis of information obtained from a visitor location register
10 (VLR). The information is preferably collected in a single application server and, according to the invention, when it is detected that the mobile station is moving into a specified area, a short message is sent to the mobile station to transmit desired information
15 about the mobile communication network to the mobile subscriber. The specified area may be one defined by the mobile subscriber him/herself, or the area may comprise areas outside the subscriber's home country, i.e. when the subscriber is in a foreign country.

20 Thanks to the invention, the operator can by simple means implement a service that it can utilise to increase the number of calls made. In addition, the operator will be able to automatically provide interesting information about the network and the services
25 available in it, for its customers at home and abroad.

The invention can be easily implemented, so it is advantageous to implement and requires no large extra investments.

30 In a preferred embodiment of the invention, registration of foreign subscribers in particular is monitored in the visitor location register on the basis of the international mobile subscriber identity (IMSI) and/or mobile station ISDN (MSISDN). When the system detects that a new foreign subscriber is registered in the visitor location register, information
35 about the new subscriber is sent to an application server, which sends a predetermined short message to

the new foreign subscriber. The short message may contain a greeting and e.g. the telephone number of the international number service of the subscriber's own operator. This has the effect that the subscriber immediately gets a positive idea of the operator which sent the message, thus improving the operator's customer service.

In an embodiment of the invention, a notice about successful transmission of a short message is sent to the application server. In the application server, information regarding transmitted and successful short messages is stored, and based on this information, the system can be prevented from sending new short messages during a predetermined period of time. This feature makes it possible to avoid sending foreign subscribers a new greeting or other informative short message each time the subscriber is registered in the visitor location register. The predetermined period of time may be e.g. two weeks or one month.

In another preferred embodiment of the present invention, the registering of foreign mobile stations in the visitor location register is monitored and, if it is detected that a mobile station has not been registered during the predetermined period of time, the data preventing transmission of new short messages is deleted from the application server. This feature is especially useful when a mobile subscriber often visits the country and the operator wants to send the subscriber a new greeting message every time the latter enters into the operator's territory. The predetermined period can be defined statistically by observing the way mobile subscribers use their mobile stations while abroad. For example, if a mobile station is not registered in the visitor location register for a week, it can well be assumed that after a week when the mobile subscriber is registered next,

he/she will already have gone back home and returned again to the operator's territory.

Moreover, in a preferred embodiment of the invention, a second short message complementing the information given in the first short message can be
5 sent after a given time interval. The new message may contain information about the services provided by the operator.

In a preferred embodiment of the invention,
10 the first short message can be sent to the mobile station when it is registered in its home network. This provides a handy way to wish the mobile subscriber welcome in his/her home country and his/her own operator's territory. The information contained in the
15 short message can also be generated on the basis of the mobile station identity data. In a preferred case, the identity data could be used to determine the mobile subscriber's native language, so the message could be generated in that language. This is another
20 improvement of the service provided by the operator for its customers.

The system of the invention for sending a short message to a mobile subscriber on the basis of the location of the mobile station comprises means for
25 monitoring the location of the mobile station on the basis of information stored in a visitor location register. According to the invention, the system comprises an application server connected to the mobile communication network, the roaming information of the
30 visitor location register for the mobile station being stored in said application server. Moreover, the application server is used to transmit short messages when predetermined conditions regarding the mobile subscriber are fulfilled.

35 In a preferred embodiment of the invention, the application server comprises means for the storage of subscriber-specific information. This information

can be utilised in sending short messages and setting various conditions to prevent messages from being sent. Moreover, the application server preferably comprises means for controlling the number of repetitions of short messages and their repetition intervals.

As for the advantages of the system of the invention, reference is made to the advantages of the procedure of the invention presented above.

In the following, the invention will be described by the aid of a preferred embodiment with reference to the attached drawing, which presents a diagram representing a preferred system according to the invention and a preferred example of signalling between the various components.

The drawing presents a diagrammatic illustration of a system according to the invention, comprising a mobile communication network MSN and a mobile station MS connected to it. The mobile communication network MSN comprises a short-message service centre SMSC, which is connected to a mobile services switching centre MSC, a visitor location register VLR and a home location register HLR. An application server 9 is connected to the short-message service centre SMSC and to the mobile services switching centre MSC. The application server comprises means 10 for the storage of subscriber-specific information and means 11 for controlling the number of repetitions of messages and their repetition intervals. The means 10 for the storage of subscriber-specific information and the means 11 for the control of short messages are implemented using program blocks and storage devices e.g. by means of a computer. The application server 9 can also be implemented using a computer.

Referring to the drawing, a preferred embodiment will now be described as an example of the operation of the system of the invention. In this example,

a mobile subscriber MS has come from abroad and roams into the operator's network, arrow 1. The subscriber information is obtained from the home location register (HLR) (not shown in the drawing) of the subscriber's home network in accordance with the normal roaming system of the mobile communication network. The operator's mobile services switching centre MSC or visitor location register VLR registers the new subscriber in the visitor location register. The visitor location register VLR sends the application server 9 information regarding the new foreign subscriber, arrow 2. The visitor location register VLR has decided that the subscriber is a foreigner by reading the identity code or subscriber number of the mobile station.

Using a suitable protocol, the application server 9 sends to the short-message service centre SMSC, arrow 3, a message to be sent to the foreign subscriber. The short-message service centre SMSC sends an inquiry to the home location register HLR of the foreign subscriber's home network to obtain location data for the subscriber in accordance with the normal operation of the mobile telephone network and delivers the short message given by the application server 9 to the mobile subscriber MS, arrows 4, 5 and 6.

After sending the short message to the mobile station, the mobile services switching centre MSC sends the short-message service centre SMSC, arrow 7, information indicating successful transmission, whereupon the short-message service centre transmits the information to the application server 9 using a suitable protocol. The application server 9 saves the information received in a subscriber database 10 and at the same time makes a setting that prevents the transmission of new short messages during a predetermined

7.

period of time. Thus, if the mobile station MS is again registered in the visitor location register, no short message will be sent to it. Also, based on the information regarding successful transmission, the application server 9 can send a new complementing short message e.g. after 24 h.

The invention is not restricted to the examples of its embodiments described above, but many variations are possible within the scope of the inventive idea defined in the claims.

CLAIMS

1. Procedure for sending a short message to a mobile subscriber on the basis of the location of the mobile station, in which procedure the location of the mobile station is monitored on the basis of the data in the visitor location register (VLR), characterised in that, when it is detected that the mobile station is moving into a specified area, a short message is sent to the mobile station to give information to the mobile subscriber.

2. Procedure as defined in claim 1, characterised in that registration of foreign subscribers in the visitor location register is monitored on the basis of the identity (IMSI) and/or subscriber number (MSISDN) of the mobile station and information regarding the new foreign subscriber is sent to an application server, which sends the short message to the new foreign subscriber.

3. Procedure as defined in claim 1 or 2, characterised in that a notice indicating successful transmission of the short message is sent to the application server.

4. Procedure as defined in any one of the preceding claims 1 - 3, characterised in that information about short messages transmitted is stored in the application server and the transmission of new short messages is prevented during a predetermined period of time.

5. Procedure as defined in any one of the preceding claims 1 - 4, characterised in that the registering of foreign mobile stations in the visitor location register is monitored and, if it is detected that a mobile station has not been registered during the predetermined period of time, then the setting preventing transmission of new short messages to the mobile station in question is removed from the application server.

6. Procedure as defined in any one of the preceding claims 1 - 5, characterised in that after the first short message, a second short message is sent to complement the information contained in the first short message.


7. Procedure as defined in any one of the preceding claims 1 - 6, characterised in that the first short message is sent when the mobile station is registered in its home network.

8. Procedure as defined in any one of the preceding claims 1 - 7, characterised in that the information contained in the short message is generated on the basis of mobile station identity data.

9. System for sending a short message to a mobile subscriber on the basis of the location of the mobile station in a mobile communication network (MSN) comprising a visitor location register (VLR) and a short-message service centre (SMSC), characterised in that the system comprises an application server (9) which is connected to the mobile communication network for the purpose of monitoring the registration of mobile stations in the visitor location register and sending short messages when predetermined conditions are fulfilled.

10. System as defined in claim 9, characterised in that the application server (9) comprises means (10) for the storage of subscriber-specific information.

11. System as defined in claim 9 or 10, characterised in that the application server comprises means (11) for controlling the number of repetitions of short messages and their repetition intervals.



INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 99/00207

A. CLASSIFICATION OF SUBJECT MATTER		
IPC6: H04Q 7/22 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
IPC6: H04Q		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
SE,DK,FI,NO classes as above		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 9741654 A1 (TELEFONAKTIEBOLAGET LM ERICSSON), 6 November 1997 (06.11.97), page 2, line 8 - page 3, line 25; page 4, line 6 - line 29; page 5, line 11 - line 22, page 8, line 20 - page 10, line 5 --	1-11
Y	WO 9405124 A1 (NOKIA TELECOMMUNICATIONS OY), 3 March 1994 (03.03.94), page 2, line 1 - line 33; page 8, line 21 - page 9, line 31 -- -----	1-11
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "F" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search		Date of mailing of the international search report
1 Sept 1999		02-09-1999
Name and mailing address of the ISA/ Swedish Patent Office Box 5055, S-102 42 STOCKHOLM Facsimile No. +46 8 666 02 86		Authorized officer Jenny Eriksson/cs Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT
Information on patent family members

02/08/99

International application No.
PCT/FI 99/00207

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9741654 A1	06/11/97	AU 2375097 A AU PN955096 D EP 0864211 A	19/11/97 00/00/00 16/09/98
WO 9405124 A1	03/03/94	AT 168237 T AU 665267 B AU 4572593 A DE 69319574 D,T EP 0611515 A,B SE 0611515 T3 ES 2120511 T FI 96732 B,C FI 923597 A JP 7500234 T	15/07/98 21/12/95 15/03/94 04/02/99 24/08/94 01/11/98 30/04/96 12/02/94 05/01/95